JMC-7112

˜E ŗ ʒ Ṫ ў ER [˜Ω



˜Ḥ'Y Intel® LGA1151 6th/7th/8th/9th Core™i7/i5/i3/Pentium®/Celeron® Processor with Q170/H110 PCH

2ÖDDR4 SODIMM ɲ è ạ Rs ı ω ᶻ 32GB


VGA+HDMI ᵪ Ǐ ˜ ì Æ

2ÖGbE LAN,8xUSB


2xRS232/422/485(Ṿ ₫ ˜)


DC 9~36V Ķ я ɟ Ɔ

˜Ḥ'Y₩ ę ƿ ♭ ╗ ˜E ŗ









		LGA1151 Gen 6th/7th/8th/9th Core™i3/i5/i7Pentium™/Celeron Processor
		Q170/H110
	BIOS	AMI UEFI BIOS
		2x DDR4 2133/2400 MHz SO-DIMM, up to 32GB
		7th Gen. CPU: Windows 10 6th Gen. CPU: Windows 10, Windows 8 .1, Windows 7 Linux OS
I/O	USB	Q170: 8x USB3.0, 2x USB2.0(Internal), 1x USB dongle(Internal) H110: 4x USB3.0, 4x USB2.0, 1x USB2.0(Internal)
	COM	2x RS232(4 ı)/422/485 (Ṿ) ,2x RS232/422/485+2x RS-232(ı)
	LED	1xPower, 1xHDD
	Mini-PCIe/ PCI/PCIe	Q170: 2x Mini-PCIe (Ḥ Y SIM ɹ å , Ḥ Y 4G ę ψ 1 Ⱥ Ⅎ ķ mSATA) H110: 1x Mini-PCIe (Ḥ Y SIM ɹ å , Ḥ Y 4G ę ζ , 1x mSATA ¨E ī Ṗ χ 2PCI/1PCIex16+1PCI/1PCIex16+1PCIex4 (

■

JMC-7112	JMC-7112´ ↺ ∧	1
300600010554	ↄ ◊ گ ب ʜ 230W,AC100~240V,24V,4PIN ↺ Ḍ	1
301800000601	ᵘ ሀ ↄ ◊ ∤ 1.83mس ̃ , ƒ ‰ s ά - β È Ṕ	1
302300019039	† ₌ ɖ ḧ ̃Ḥ "	2
NA	w ɣ	1

■ I/O)

200200006474 (302300018780 ( )	2LAN ṇ ɹ module ε ĸ Ạ بQ170 ʒ — ζ , IC ל ⊐I210AT
200200006475(302300018749 ( )	4LAN ṇ ɹ module ε ĸ Ạ بQ170 ʒ — ζ , IC ל ⊐I210AT
200200006230(	2LAN+4COM ṇ ɹ module ε ĸ Ạ بQ170 ʒ — ζ , IC ל ⊐I210AT
200100006635(302300018778 ( )	32 ʜ ʗ ̃ GPIO ṇ ɹ module ε ĸ Ạ بQ170 ʒ — ζ
301800019433 (302300018776 (_)	HDMI module ε — ɲ ά ɨ Â ∤ ζ
301800019435 (302300018736 (_)	DVI module ε — ɲ ά ɨ Â ∤ ζ
301800019434 (302300018775 (_)	DP module ε — ɲ ά ɨ Â ∤ ζ
301800014816 ( ) 302300018733 (_) 302300018743 (_)	PS2 module ε — ɲ ά ɨ Â ∤ ζ
301800019438 USB 301800019427 1 2 USB	USB module ε — ɲ ά ɨ Â ∤ ζ
301800012515 ( ) 302300018734 (_) 302300018744 (_)	Remote power on/off module ε — ɲ ά ɨ Â ∤ ζ

所有产品规格如有更改，不

■ I/O)

301800019433 (HDMI 301800012515 (Switch) 302300018777(_)	HDMI Remote power on/off module ε — ɲ ά ɨ Â ɬ ζ
301800012079 (COM) 302300018731(1xDB9 _) 302300018735(1xDB9 _) 302300018746(2xDB9 _)	COMport kit module ε — ɲ ά ɨ Â ɬ ζ
301800012513 _DB9 301800015453 _DB25 302300018779 (_DB25)	GPIO module ε — ɲ ά ɨ Â ɬ ζ
302300020106	6COM ̧ — ε H110 ʒ — ˡ ǰ ب ̧ — ζ

■)

200200006383	2PCI ¨E ̄ ɹ
200200006047	1PCIex16+1PCI ¨E ̄ ɹ
200200006467	1PCIex16+1PCIex4 ¨E ̄ ɹ

所有产品规格如有更改，不